

Page 1 of 10

### **SECTION 1: IDENTIFICATION**

### 1.1 Product identifier

Product name TR250LV

Recommended use and restrictions on use

**Recommended use** For use in Phrozen 3D-printers

**Restrictions on use** Do not use in the situation that easily generate aerosol, steam.

## 1.2 Name, address and phone of manufacturer, importers or supplier

Manufacturer Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,

Hsinchu City 30091, TAIWAN(R.O.C)

**Phone** +886-3621-0505

Emergency phone / Fax +886-3621-0505 / +886-3539-6591

### **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1 Hazard classification

Skin corrosion/irritation Category 2, Serious eye damage/eye irritation Category 1,

Skin sensitization Category 1,

Specific target organ toxicity - single exposure (respiratory tract irritation)Category3

Specific target organ toxicity - repeated exposure Category2

### 2.2 Signal statement

Corrosion, Exclamation mark, Health hazard



# 2.3 Pictograms

**2.4 Signal word** Danger

#### 2.5 Hazard statements

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure

Toxic to aquatic life with long lasting effects.

Page 2 of 10

# 2.6 Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, If present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep container tightly closed

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.7 Other hazard

None

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not relevant (mixture)

# 3.2 Mixtures

Description of the mixture

Components	CAS number	Weight %	Classification acc. to GHS
2-Propenoic acid, 2-hydroxyethyl ester, polymer with 1,1'-methylenebis(4-isocyanatocyclohexane) and .alpha.,.alpha.',.alpha.''-1,2,3	73324-00-2	25 - 50%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
2,4,6-trioxo-1,3,5-triazine- 1,3,5(2H,4H,6H)- triyl)tri-2,1- ethanediyl triacrylate	40220-08-4	25 - 50%	Eye Dam. 1 / H318 Skin Sens. 1 / H317
4-(1-oxo-2-propenyl)-morpholine	5117-12-4	10 - 25%	Acute Tox. 4 / H302 Eye Dam. 1 / H318

Page 3 of 10

			Skin Sens. 1 / H317 STOT RE 2 / H373
Additives1	Trade Secret	2 - 5%	-
Additives2	Trade Secret	<2%	Carc. 2 / H351

### **SECTION 4: FIRST AID MEASURES**

# 4.1. First-aid advice and recommendations for different routes of exposure

# 4.1.1 Inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Incase of respiratory tract irritation, consult a physician. Provide fresh air.

#### 4.1.2 Skin Contact

Wash with plenty of soap and water.

### 4.1.3 Eyes Contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, freshwater for at least 10 minutes, holding the eyelids apart.

#### 4.1.4 Ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2. Most important symptoms and hazardous effecects

None

### 4.3. Protection of First-aid personnel

None

# 4.4. Note for physician

None

#### **SECTION 5: FIRE-FIGHTING MEASURES**

# 5.1 Applicable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

### 5.2 Specific hazards confronted during fire fighting

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

# 5.3 Specific fire-fighting procedure



Page 4 of 10

None

# 5.4 Specific protecttive equipments for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precations

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### **6.2.** Environmental precations

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust,

kieselgur(diatomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

### **SECTION 7: SAFETY HANDLING AND STORAGE**

#### 7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

#### 7.2. Storage

Storage at the area of cool, dry.

Keep away from heat, direct sunlight, rainy and rapid temperature.

Storage temperature between 15°C/59°C to 35°C/95°F.

Close the lid tightly when not in use.

Page 5 of 10

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

#### 8.2. Control Parameters

Component	TWA	STEL	CEILING	BEI s
Titanium dioxide	10 mg/m <sup>3</sup>	15 mg /m <sup>3</sup>	-	-

## 8.3. Personal protective equipment

#### 8.3.1 Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filtering half mask (EN 149). P1 (filters at least 80 % of airborne particles, colour code: White).

# 8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

For example: NBR: acrylonitrile-butadiene rubber

Material thickness : ≥ 0.6mm

Breakthrough times of the glove material: > 480 minutes (permeation: level 6)

# 8.3.3 Eye protection

Use safety goggles.

## 8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

#### 8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Apperance and color	Gray viscous liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	6-8	Boiling point	>360 °C at 100.7 kPa

Page 6 of 10

Flammable	N/A	Flash point	>113 °C
Decomposition Temp	N/A	Testing method	Close up
Natural Temp	N/A	Explosive limit	N/A
Vapor pressure	0.059 Pa at 20 °C	Vapor density	N/A
Density	1.17 g /cm³ at 25 °C	Solubility	N/A
Octanol/water distribution coefficient (log Kow)	N/A	Evaporaion rate	N/A

### **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Stability

Stable under normal condition.

# 10.2. Possible hazardous reation under specific conditions

None

# 10.3. Must avoid condition

UV-radiation/sunlight.

### 10.4. Must avoid substances

Oxidisers

# 10.5. Hazardous decomposted product

None

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Test data are not available for the complete mixture.

# 11.1. Exposure paths

None

### 11.2. Symptoms

None

Page 7 of 10

### 11.3. Acute toxicity

Components	route	Species	End point	Value
4-(1-oxo-2-propenyl)-	Oral	Rat	LC50	588 mg/kg
morpholine				

# 11.4. Chronic toxicity

None

# 11.5. Reproductive and/or Developmental Effects

None

# **SECTION 12: ECOLOGICAL INFORMATION**

The product has not been tested. The statement has been derived from the properties of the individual components.

# 12.1. Ecological toxicity

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
4-(1-oxo-2-propenyl)-	ErC50	4.4mg/l	algae	72h
morpholine				

# 12.2. Per sistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
4-(1-oxo-2-propenyl)-	oxygen	35%	28d	ECHA
morpholine	deple-tion			
(2,4,6-trioxo-1,3,5-	oxygen	0 -10%	28 d	ECHA
triazine-	deple-tion			
1,3,5(2H,4H,6H)-				
triyl)tri-2,1-ethanediyl				
triacrylate				

# 12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
(2,4,6-trioxo-1,3,5-triazine-		1.09 (pH value: 6.8, 25	-
1,3,5(2H,4H,6H)- triyl)tri-2,1-		°C)	
ethanediyl triacrylate			
4-(1-oxo-2-propenyl)-		-0.46 (21 °C)	
morpholine			

Page 8 of 10

[bis(4-	4.7 (20 °C)	
methylphenyl)phosphoroso](2,4,6-		
trimethylphenyl)methanone		

# 12.4. Mobility in soil

None

### 12.5. Other adverse effects

None

### **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# 13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

# 13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: TRANSPORT INFORMATION**

Land transport USDOT	Not classified as dangerous goods under transport regulations.
Sea transport IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

Page 9 of 10

### **SECTION 15: REGULATORY INFORMATION**

- **15.1.** List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list None of the ingredients are listed
- 15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

#### 15.5. National inventories

Country	Inventory	Status
AU	AU AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

### Legend

AIIC	Australian Inventory of Industrial Chemicals	
DSL	Domestic Substances List (DSL)	
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China	
EU	EC Substance Inventory (EINECS, ELINCS, NLP)	
EU	REACH registered substances	
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)	



Page 10 of 10

ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)	
NZIoC	New Zealand Inventory of Chemicals	
CICR	Chemical Inventory and Control Regulation	
TCSI	Taiwan Chemical Substance Inventory	
TSCA	Toxic Substance Control Act	

### **SECTION 16: OTHER INFORMATION**

Reference	US OSHA HCS 29 CFR 1910.1200 / ECHA / OECD
Table formulation	Name: Phrozen Tech. Co. Ltd
unit	Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091,
	TAIWAN( R.O.C ) /+ 886-3-6210505
Table formulator	Job title : Occupational Safety & Health manager
	Name : Chun-Yao, Kuo
Table formulation	2024.05.17
Date	
Remarks	In the above described information, the symbol "N/A" means no
	relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

# **END OF SAFETY DATASHEET**