

2 eyes of COB lamp audience



Model: ST-2002BFQ

8CH NW Digital PAER lamp specifications

一, Display board

1: Boot after press MANU to ENTER the main menu, press the UP or DOWN to add and subtract menu, press ENTER



MANU UP DOWN ENTER

A001	→	A512	→	8CH model
D-01	→	D-99	→	Total water monkey sets
S-01	→	S-99	→	How many of monkey flowing water
UYES	→	UNO	→	Remote control open and close
CA50	→	CA99	→	7 colour jump 01-99 switch speed
CB50	→	CB99	→	Colorful gradient 01-99 switch speed
CC50	→	CC99	→	7 colour combination switch to choose speed change 01-99
LS50	→	LS99	→	Water features 01-99 switch speed
So01	→	So99	→	7 colour acoustic sensitivity change 01-99 switch
R255	→	R000	→	Red medallion to shut down
G255	→	G000	→	Green medallion to shut down
B255	→	B000	→	Blue medallion to shut down
W255	→	W000	→	White medallion to shut down

二, The channel table

8 channel	Channel value	Functional description
CH1	0-255	Tuned light
CH2	N The dimmer	N linear dimming from dark to bright open
CH3	W The dimmer	W linear dimming from dark to bright open
CH4	N The dimmer	N linear dimming from dark to bright open
CH5	W The dimmer	W linear dimming from dark to bright open
CH6	0-255	Stroboscopic from slow to fast
CH7	0-39	Open/close control delay
	40-79	The speed jump: 4 channels
	80-119	The speed gradient: 4 channels
	120-159	The speed pulse variable: 4 channels
	160-199	Water: channel 4 controlled speed
	200-255	Voice control
CH8	0-255	Function of speed

Four, technical parameters

■ Voice control, built-in programs, master-slave control.

■ Stroboscopic effect, program selection, color transformation, monkey water effect.

■ Level, degree of micromixer mixing effect 255 0-100% linear dimming, camera video real flicker-free, colour more rich.

