



PRODUCT: SNOW MACHINE

MODEL: H-S03

USER MANUAL



VERSIO 2.0

1. PRECAUTIONS

The 1000W Blizzard Snow Machine is designed and constructed so that it can be used in a safe manner. Specifically, this refers to the usage, situations, and prescriptions for the device as described in this documentation. must be installed by a qualified professional. All maintenance must be carried out by a qualified electrician. It is the responsibility of all electrician to use the 1000W Blizzard Snow Machine to read and follow the instructions in this manual.

GENERAL SAFETY RULES

- Keep this device dry.
- Always connect to a grounded circuit to avoid risk of electrocution.
- Before connecting machine to power, always check voltage indicate on machine
- match to your local AC voltage. Do not use the machine if AC power voltage does not match.
- Disconnect the machine from AC power before servicing and when not in use.
- This product is for indoor use only! Do not expose to rain or moisture. If fluid is spilled, disconnect AC power and clean with a damp cloth. If fluid is spilled onto electronic parts, immediately unplug the machine.
- No user serviceable and modifiable parts inside. Never try to repair this product, an unauthorized technician may cause damage or malfunction to the machine.
- For adult use only. Never leave the machine running unattended.
- Installed the machine in a well-ventilated area. Provide at least 50 cm space around the machine.
- Never add flammable liquid of any kind to the machine.
- Make sure there are no flammable materials close to the machine while operating.
- Only use MOKA SFX fluid. Other fluid may lead to heater clog and malfunction.
- If the machine fails to work, unplug the machine and stop operation immediately.
- Before transporting the machine, make sure the fluid tank is completely drained.
- Fog fluid may present health risks if swallowed. Do not drink fog fluid. Store it securely. In case of eye contact or if fluid is swallowed, immediately look for medical advice.

2. TECHNICAL DATA

Product Name	1000W Blizzard Snow Machine
Control Method	Manual,DMX512 and Remote
DMX Connectors	3/5-pin XLR
Oil Tank Capacity	5 Liters
Voltage Input (Vac)	100-120V or 200- 240 Vac
Voltage Frequency	50 or 60 Hz
Fuse	10A
DMX Channel	3
Power Consumption (Vac)	1000W
Consumable (s)	Snow Fluid
Fluid Consumption (L/H)	5L in 20 minutes
Coverage	About 40m ² (hanging at an angle of 45°)
Maximum spray distance	About 10 meters
Product Size	57/33.5/47cm
Packing Size	57/33.5/47cm
N.W	14.7 kg
G.W	16.4 kg
Snow volume	Adjustable
Snow speed	Adjustable

3. OPERATION OF DISPLAY

digital addition"+"	in standby state without dmx signal, press the "+" key to work regularly and quantitatively press the + key to stop
Number minus"-"	press" - " key to spray snowflakes spray snowflakes Press" -" key to stop
ENTER	confirmation key
Ready	"stand by"

4. REMOTE CONTROL

A	key spray snowflakes
B	key off
C	snowflakes plus
D	snowflake reduction

5. MENU

Address	001-512 Set up address
Chinese	Chinese/English
timing	0-255s Snowflake output time
Stop	0-255s Intervals
Manual	Oil 0-100 Snowflake size setting
	Fan (No.1) 0 close 1-100 working
	Fan (No.2) 0 close 1~100 working

6. DMX512 CHANNEL TABLE

Channel 1	Air volume from small to large
Channel 2	Snowflakes from small to large
Channel 3	Noise from small to large

7. FEATURES

- Support LCD control, remote control, DMX512 control

8. FEATURES

- When the machine is not used for a long time, spray it with clean water until there is no snow.

9. TROUBLESHOOTING

Always contact our company if any malfunctions or errors occur that cannot be solved with the instructions as described in this manual.